

GCOS ECV Rationalization

Peter Thorne

Deputy Chair GCOS Steering Committee
Chair GCOS Atmospheric Observations Panel for Climate
Chair, GCOS Task Team on ECV Rationalisation













PART 1 INTRODUCTION












55 Essential Climate Variables



55 Essential Climate Variables... and 200 ECV products



Sea Ice



Sea ice variability is a key indicator of climate variability and change in the polar regions. The primary parameters that define the state of sea ice include: concentration, area and extent, ice type, motion, deformation, age, thickness, and volume. The presence of sea ice strongly modifies surface waves and air-sea exchanges of heat, momentum, moisture and gases. Sea ice has a significant impact on the Earth's albedo and hence changes in Sea Ice impact the global energy budget. The properties of many water masses of the global ocean and strongly influenced determined freezing and melting processes in sea ice regions.

Domain:	Ocean	Produ
Subdomain:	Physical	paran
Scientific Area:	Snow and Ice	· .
ECV Steward:	Thomas Lavergne/Stefan Kern	the E
Products:	Sea Ice Concentration; Sea Ice Thickness; Sea Ice Drift; Sea Ice Age; Sea Ice Temperature; Sea Ice Surface Albedo; Snow Depth on Sea Ice	

Products are "measurable parameters needed to evaluate the ECV" (GCOS-245, 2022)














Why do we need an ECV Rationalization process

After 20 years of ECV framework:

- Are all the 55 Essential Climate Variables still essential? Are we missing anything?
- Is the current grouping the best possible one? Is it balanced? Is it consistent across domains and across earth cycles?
- Is there **enough transparency** and **coherence** in the process that leads to including a new ECV in the list?














The ECV Rationalization process timeline
















Understanding the consultation process



The consultation with selected stakeholders allows them to influence the process before the public review

Understanding this interview



GCOS will take all feedba process with clear goals

re compromises will be needed

The ECV Rationaliza

ess comprises:

B

(2) the

NOTHING IS

FINAL UNTIL

(3) the list of **EVERYTHING**

ries);

(ities) itself.

IS FINAL

important: focus on (overall result of the ECV)

alization proces

ore looking into the details pecific ECVs/ECV quantities)

CVs are selected);











PART 2 MAIN OUTCOMES











GOVERNANCE: PROCESS TO ADOPT A NEW ECV

CURRENT

- Only best practices, not a formal process.
- Proposals to add ECVs are submitted by groups of experts (very often connected to the panels), and panels evaluate them according to the three main criteria: (1) feasibility; (2) cost-effectiveness; 3) relevance.
- GCOS Steering Committee takes the ultimate decision (to include or not the new ECV).
- The best practices only concern the inclusion of new ECVs to the list (not the ECV products).


FUTURE

- Formal process designed including:
 - Bodies involved and clear delineation of roles between the panels, the GCOS Steering Committee, and a crosspanel ECV Board
 - Instructions on how to submit the proposal, and how to justify it, including a template
 - Details on the evaluation process and evaluation criteria including timeline
- The **process differentiates** between submission of new ECVs and submission of ECV products (now called quantities)

DEFINITIONS

CURRENT (GCOS-245, 2022)

- An Essential Climate Variables (ECV) is a physical, chemical or biological variable (or group of linked variables) that critically contributes to the characterization of Earth's climate.
- An ECV product is a measurable parameter needed to characterize the ECV.




FUTURE

ECV products renamed as ECV quantities (to indicate more clearly that these are measurable aspects that can be quantified in some way) and the ECV definition has been modified to show that they can comprise multiple quantities.

- **ECV quantity**: property of phenomenon, body, or substance, where the property has a magnitude that can be expressed as a number and a reference^[1]. An ECV may be described by one or more such quantities. ECV quantities can be physical, chemical or biological. Categorical quantities are possible (e.g. precipitation type, land cover class).
- An Essential Climate Variable (ECV) is a singular quantity or a collective set of well-defined quantities that critically contribute to the characterization of Earth's climate.

[1] International vocabulary of metrology – Basic and general concepts and associated terms (VIM)

CATEGORIES OF CHANGES



ECV quantities				
Remove	Remove	Remove		
New	New	New		
→ Moved to another ECV	→ Moved to another ECV	→ Moved to another ECV		
Terminology	Terminology	Terminology		

ECV

ECV quantities

AOPC

OOPC

TOPC

AOPC

OOPC

TOPC













Typology of changes









 The Anthropogenic ECVs (GHG emissions and Water Use) have been removed.











3. CHANGE in terminology:

For consistency, clarity of communication and policy relevance Eg. Atmosphere, ocean, terrestrial preferred to air-sea-land; Ocean acidification instead of Inorganic carbon; no acronyms.











Typology of changes



4. GROUP:



- Some ECVs were the same thing just at different heights or depths;
- Other ECVs or ECV quantitites were repeated across panels (e.g. Albedo)



IMPORTANT: There are now **four cross-panel ECVs**

(CH₄ and Short-lived GHG, CO₂ and Long-lived GHG, Albedo, Turbulent Heat Fluxes)



5. MOVE:





AOPC

OOPC

TOPC

AOPC

TOPC

- Some ECVs have become ECV quantities and are regrouped under new ECVs (e.g. Ocean tracers moved under Ocean circulation);
- ECV quantities have been re-located under a different ECV (Soil temperature moved under Soil Physics)











HALF OF THE ECVs REMAIN ESSENTIALLY UNCHANGED

35 Solar spectral irradiance Downward short-wave irradiance at top of the atmosphere 36 **Earth Radiation Budget** Upward long-wave irradiance at top of the atmosphere 37 38 Upward short-wave irradiance at top of the atmosphere 29 Silicate concentration **Ocean Nutrients** 30 Phosphate concentration 31 Nitrate concentration 19 Glacier Area **Glaciers** 20 Glacier Elevation Change 21 Glacier Mass Change















COMPARISON ORIGINAL – PROPOSED - AOPC OOPC TOPC




Categories of changes: REMOVE

ORIGINAL

PROPOSED

















Categories of changes: TERMINOLOGY

Consistency Comprehension Clarity

ECV

AOPC

OOPC

ECV quantities

AOPC

OOPC

TOPC



TOPC













Cloud Properties

Ocean Nutrients

Blue carbon habitats (mangroves, seagrass, saltmarshes, macroalgae)

Ocean surface wind stress vector

Lake Water Level (LWL)

Seasonal freeze/thaw

Peatland volume

Categories of changes: GROUP + ADD

ORIGINAL

PROPOSED

3

Atmospheric Temperature

AOPC

Surface Temperature 2 Air Atmospheric temperature (near surface)

Upper-air Temperature

Atmospheric temperature in the boundary layer

Atmospheric temperature in the free troposphere

Atmospheric temperature in the upper troposphere and lov Stratosphere

Atmospheric Temperature in the Middle and Upper Stratosphere

Atmospheric Temperature in the Mesosphere

Atmospheric temperature (near surface)

Atmospheric temperature in the boundary layer Atmospheric temperature in the free troposphere Atmospheric temperature in the upper troposphere and lower stratosphere

Atmospheric temperature in the middle and upper stratosphere

Atmospheric temperature in the mesosphere









6

7

8

9

10





Categories of changes: GROUP - ECV quantity moved

ORIGINAL PROPOSED OOPC Radi Itive Heat Flux 19 **CROSS-PANEL Ocean Surface Heat** 20 --> Sensible Heat Flux Flux 21 --> Latent Heat Flux Sensible heat flux ocean-atmosphere 1 **TOPC** Latent heat (evaporation) flux ocean-atmosphere **Surface Turbulent** 3 Sensible heat flux terrestrial-atmosphere **Heat Fluxes** --> Sensible Heat Flux 52 Latent heat (evapotranspiration) flux terrestrial---> La ent Heat Flux 53 atmosphere **Evaporation from** 54 Bare Son Evaporation Land 55 Interception Loss 56 **Transpiration**














Categories of changes: GROUP + → ECV moved













OVERVIEW

ORIGINAL

PROPOSED

Number of ECVs (Total = **55**)

ECV products (Total = 177)

23 out of 55 ECVs remain essentially unchanged

Number of ECVs (Total 42)

ECV quantities (Total = 170)

All new ECVs are the result of grouping/moving previous ECVs


What has been achieved

Variables that refer to the same property **should appear just once**;

✓ **ECV quantities** should be the **minimum number** needed to characterize the ECV

✓ The current grouping is more balanced in terms of the weight given to the ECVs and ECV quantities

> ✓ The terminology is more **consistent** across panels



Transparency

✓ The **process** that leads to including a new variable in the list has been defined













Harmonization

PART 3 NEXT STEPS AND DISCUSSION













Next steps post-interview

Word document with instructions and extra comments



Annotated Excel sheet with the collated feedback of your organization





But before that: looking at the global picture...

- 1. Do you agree that **there is value** in ECV rationalization and strengthening the governance process?
- 2. What **challenges** and/or **opportunities** would these changes bring to you and your operations?
- 3. Is there anything that is **obviously missing** or **wrong**?
- 4. Do you have any other comments?









Thank you!











