


Customer :	ESRIN	Document Ref :	SST_CCI-REP-UOR-201-Reference_Documents_List
WP No :	70110	Issue Date :	N/A (Updated incrementally online)

CCI Phase 2 (SST)

Reference Documents List

This document is the master list of reference documents referred to by reports and deliverables originating from the SST CCI project.

As further reports are written, this reference document list will be updated and expanded throughout the project.

Author(s)		Reviewed:	
	C J Merchant SST CCI project team	Accepted:	

Distribution:	Public (link to PDF version on www.esa-cci-sst.org) SST_cci team members (Google doc URL) ESA (Craig Donlon)
	EUROPEAN SPACE AGENCY CONTRACT REPORT The work described in this report was done under ESA contract. Responsibility for the contents resides in the author or organisation that prepared it.

RD.1	Birks, A., ESRIN Product Control Service, Vega Group plc, EOS University of Leicester, M. Buckley, and M. Fletcher, cited 2010: The AATSR Product Handbook. [Available online from http://envisat.esa.int/pub/ESA_DOC/ENVISAT/AATSR/aatsr.ProductHandbook.2_2.pdf .]
RD.2	Edwards, T., R. Browning, J. Delderfield, D. J. Lee, and K. A. Lidiard, 1990: The Along Track Scanning Radiometer - Measurement of sea-surface temperature from ERS-1. The Journal of The British Interplanetary Society, 43, 160-180.
RD.3	Llewellyn-Jones, D., et al. (2001), AATSR: Global-change and surface-temperature measurements from Envisat, ESA Bulletin-European Space Agency (105), 11-21.
RD.4	Murray, J., P. Bailey, A. Birks, and D. Smith, cited 2010: The ATSR-1/2 User Guide. [Available online from http://www.atsr.rl.ac.uk/documentation/docs/userguide/index.shtml .]
RD.5	Smith, D. L., et al. (2001), Calibration of the AATSR instrument, Advances in Space Research, 28(1), 31-39.
RD.6	Smith, D. L., et al. (2002), Calibration monitoring of the visible and near-infrared channels of the Along-Track Scanning Radiometer2 by use of stable terrestrial sites, Applied Optics, 41(3), 515-523.
RD.7	Corlett, G. K., cited 2010: AATSR Home Page. [Available online at http://www.leos.le.ac.uk/aatsr/ .]
RD.8	ESA, cited 2010: Envisat Home Page. [Available online at http://envisat.esa.int/earth/www/area/index.cfm?fareaid=6 .]
RD.9	ESA, cited 2010: ESA AATSR Page. [Available online at http://earth.esa.int/object/index.cfm?fobjectid=3773 .]
RD.10	RAL, cited 2010: AATSR Operations at RAL. [Available online at http://www.aatsrops.rl.ac.uk/ .]
RD.11	RAL, cited 2010: The ATSR Project. [Available online at http://www.atsr.rl.ac.uk/ .]
RD.12	ESA, cited 2010: ESA ERS Page. [Available online at http://earth.esa.int/ers/ .]
RD.13	Pritchard, M. (2009), (A)ATSR Match-up Database Description, Rutherford Appleton Laboratory.
RD.14	Match-up Database Specification. Report for (A)ATSR L2P Project.
RD.15	Corlett, G. K., et al. (2006), The accuracy of SST retrievals from AATSR: An initial assessment through geophysical validation against in situ radiometers, buoys and other SST data sets, Advances in Space Research, 37(4), 764-769.

RD.16	Noyes, E. J., et al. (2006), The accuracy of the AATSR sea surface temperatures in the Caribbean, <i>Remote Sensing of Environment</i> , 101(1), 38-51.
RD.17	NESDIS, cited 2010: Advanced Very High Resolution Radiometer - AVHRR. [Available online at http://noaasis.noaa.gov/NOAASIS/ml/avhrr.html .]
RD.18	Tahnk, W. R., and J. A. Coakley (2002), Improved calibration coefficients for NOAA-12 and NOAA-15 AVHRR visible and near-IR channels, <i>Journal of Atmospheric and Oceanic Technology</i> , 19(11), 1826-1833.
RD.19	Trishchenko, A. P., et al. (2002), Trends and uncertainties in thermal calibration of AVHRR radiometers onboard NOAA-9 to NOAA-16, <i>Journal of Geophysical Research-Atmospheres</i> , 107(D24).
RD.20	Wang, L. K., and C. Y. Cao (2008), On-Orbit Calibration Assessment of AVHRR Longwave Channels on MetOp-A Using IASI, <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 46(12), 4005-4013.
RD.21	Mittaz, J. P. D., et al. (2009), A Physical Method for the Calibration of the AVHRR/3 Thermal IR Channels 1: The Prelaunch Calibration Data, <i>Journal of Atmospheric and Oceanic Technology</i> , 26(5), 996-1019.
RD.22	Eumetsat, cited 2010: Eumetsat Monitoring weather and climate from space - AVHRR. [Available online at http://www.eumetsat.int/Home/Main/Satellites/Metop/Instruments/SP_2010053153142514?l=en.]
RD.23	Eumetsat, cited 2010: Meteosat Second Generation [Available online at http://www.eumetsat.int/Home/Main/Satellites/MeteosatSecondGeneration/index.htm?l=en.]
RD.24	D.M.A. Aminou, D. M. A. (2002), MSG's SEVIRI Instrument, <i>ESA Bulletin</i> , 111(August), 15-17.
RD.25	Dong, S. F., et al. (2006), Validation of the Advanced Microwave Scanning Radiometer for the Earth Observing System (AMSR-E) sea surface temperature in the Southern Ocean, <i>Journal of Geophysical Research-Oceans</i> , 111(C4).doi:10.1029/2005JC002934
RD.26	Gentemann, C. L., et al. (2010), Accuracy of Satellite Sea Surface Temperatures at 7 and 11 GHz, <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 48(3), 1009-1018. doi:10.1109/TGRS.2009.2030322
RD.27	Gentemann, C.: TMI and AMSR-E Microwave SST validation. [Available online from http://www.misst.org/reports/Calculation%20of%20MW%20SSES7.pdf.]
RD.28	Kawanishi, T., et al. (2003), The Advanced Microwave Scanning Radiometer for the Earth Observing System (AMSR-E), NASDA's contribution to the EOS for global energy and water cycle studies, <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 41(2), 184-194. doi:10.1109/TGRS.2002.808331

RD.29	Remote Sensing Systems, cited 2010: AMSR-E SST Near Real-Time Validation Statistics. [Available online from http://www.remss.com/amsr/amsre_sst_validation_statistics.html .]
RD.30	Wentz, F. J., et al. (2003), On-Orbit Calibration of AMSR-E and The Retrieval of Ocean Products, in 12th Conference on Satellite Meteorology and Oceanography, Long Beach, CA, Amer. Meteor. Soc., P5.9. [Available online from http://ams.confex.com/ams/pdffiles/56760.pdf .]
RD.31	Wentz, F. J., cited 2010: Updates to the AMSR-E Level-2A Version B07 Algorithm. [Available online from http://www.remss.com/amsr/docs/AMSRE_L2A_Version_B07_Updates.pdf .]
RD.32	Wentz, F. J., cited 2010: Updates to the AMSR-E V05 Algorithm. [Available online from http://www.remss.com/amsr/docs/AMSRE_V05_Updates.pdf .]
RD.33	NASA, cited 2010: Marshall Space Flight Center AMSR-E Page. [Available online at http://www.ghcc.msfc.nasa.gov/AMSR/ .]
RD.34	RSS, cited 2010: RSS Home Page. [Available online at http://www.remss.com/ .]
RD.35	NASA, cited 2010: TRMM Microwave Imager. [Available online at http://trmm.gsfc.nasa.gov/overview_dir/tmi.html .]
RD.36	Wentz, F. J., and T. Meissner: AMSR Ocean Algorithm, Algorithm Theoretical Basis Document. [Available online at http://www.remss.com/papers/amsr/AMSR_Ocean_Algorithm_Version_2.pdf .]
RD.37	RSS, cited 2010: Description of TMI Data Products. [Available online at http://www.remss.com/tmi/tmi_description.html .]
RD.38	Berrisford, P., et al. (2009), The ERA-Interim archive, European Centre for Medium Range Weather Forecasts, Reading.
RD.39	ECMWF, cited 2010: ECMWF Home Page. [Available online at http://www.ecmwf.int/ .]
RD.40	ECMWF, cited 2010: ERA Project Home Page. [Available online at http://www.ecmwf.int/research/era/do/get/index .]
RD.41	ECMWF, cited 2010: ECMWF Data Server Home Page. [Available online at http://data.ecmwf.int/data/ .]
RD.42	Andersen, S., et al. (2009), Ocean & Sea Ice SAF Sea Ice Product Manual, Ocean & Sea Ice SAF. http://www.osi-saf.org/biblio/docs/ss2_pmseoice_3_6.pdf
RD.43	Eastwood, S., K. R. Larsen, T. Lavergne, E. Nielsen, and R. Tonboe: Global Sea Ice Concentration Reprocessing Product User Manual Product OSI-409. [Available online at http://saf.met.no/docs/pum_seaicereproc_ss2_v1p1.pdf .]
RD.44	High Latitude Processing Centre, OSI SAF, cited 2010: Sea Ice Products. [Available online

	at http://saf.met.no/p/ice/.]
RD.45	NSIDC, cited 2010: Scanning Multi-channel Microwave Radiometer (SMMR). [Available online at http://nsidc.org/data/docs/daac/smmr_instrument.gd.html.].
RD.46	MyOcean, cited 2010: Products and Services Online Catalogue. [Available online at http://www.myocean.eu.org/index.php/products-services/catalogue.].
RD.47	Donlon, C., et al. (2008), An infrared sea surface temperature autonomous radiometer (ISAR) for deployment aboard volunteer observing ships (VOS), <i>Journal of Atmospheric and Oceanic Technology</i> , 25(1), 93-113.
RD.48	ISAR Project Team, cited 2010: ISAR Home Page. [Available online at http://www.noc.soton.ac.uk/lso/isar/.].
RD.49	Jessup, A., cited 2010: Skin and Bulk SST Validation Program. [Available online at http://cirims.apl.washington.edu/index.php.].
RD.50	Barton, I. J., et al. (2004), The Miami2001 infrared radiometer calibration and intercomparison. part II: Shipboard results, <i>Journal of Atmospheric and Oceanic Technology</i> , 21(2), 268-283.
RD.51	Barton, I. J. (2007), Comparison of in situ and satellite-derived sea surface temperatures in the Gulf of Carpentaria, <i>Journal of Atmospheric and Oceanic Technology</i> , 24, 1773-1784.
RD.52	Minnett, P. J., et al. (2001), The marine-atmospheric emitted radiance interferometer: A high-accuracy, seagoing infrared spectroradiometer, <i>Journal of Atmospheric and Oceanic Technology</i> , 18(6), 994-1013.
RD.53	Minnett, P., cited 2010: Instruments. [Available online at http://www.rsmas.miami.edu/personal/pminnett/Instruments/m_aeri.html.].
RD.54	Jessup, A. T., et al. (2002), Autonomous shipboard infrared radiometer system for in situ validation of satellite SST, paper presented at Earth Observing Systems VII, Int. Symp. Optical Sci. and Tech., SPIE, Seattle, July, 2002.
RD.55	RAL Space Science and Technology Spectroscopy Group, cited 2010: SISTeR. [Available online at http://www.sstd.rl.ac.uk/sg/projects/sister/index.htm.].
RD.56	Rice, J. P., et al. (2004), The Miami2001 infrared radiometer calibration and intercomparison. part I: Laboratory characterization of blackbody targets, <i>Journal of Atmospheric and Oceanic Technology</i> , 21(2), 258-267.
RD.57	Atlantic Oceanographic and Meteorological Laboratory, cited 2010: Environmental Data Server Global Lagrangian Drifter Data. [Available online at http://www.aoml.noaa.gov/envids/gld/index.php.].
RD.58	Lumpkin, R., and M. Pazos (2006), Measuring surface currents with Surface Velocity Program drifters: the instrument, its data, and some recent results., in <i>Lagrangian Analysis</i>

	and Prediction of Coastal and Ocean Dynamics (LAPCOD), edited by A. Griffa, et al.
RD.59	Hansen, D. V., and P. M. Poulain (1996), Quality control and interpolations of WOCE-TOGA drifter data, <i>Journal of Atmospheric and Oceanic Technology</i> , 13(4), 900-909.
RD.60	Laboratory, P. M. E., cited 2010: Global Tropical Moored Buoy Array [Available online at http://www.pmel.noaa.gov/tao/global/global.html.]
RD.61	McPhaden, M. J., et al. (2009), The Global Tropical Moored Buoy Array, paper presented at OceanObs'09 Conference - Sustained Ocean Observations and Information for Society, ESA, Venice, Italy, 21-25 September 2009.
RD.62	Servain, J., et al. (1998), A Pilot Research Moored Array in the Tropical Atlantic (PIRATA), <i>Bulletin of the American Meteorological Society</i> , 79(10), 2019-2031.
RD.63	Argo, cited 2010: The International Argo Project Home Page. [Available online at http://www.argo.net./.]
RD.64	Argo Science Team, cited 2010: On The Design and Implementation of Argo. [Available online at http://www.argo.ucsd.edu/argo-design.pdf.]
RD.65	Met Office Hadley Centre, cited 2010: EN3: quality controlled subsurface ocean temperature and salinity data. [Available online at http://hadobs.metoffice.com/en3.]
RD.66	Ingleby, B., and M. Huddleston (2007), Quality control of ocean temperature and salinity profiles - Historical and real-time data, <i>Journal of Marine Systems</i> , 65(1-4), 158-175.
RD.67	NOAA/ESRL/PSD, cited 2010: International Comprehensive Ocean-Atmosphere Data Set. [Available online at http://icoads.noaa.gov./.]
RD.68	ICOADS, cited 2010: ICOADS Release 2.5 Data Characteristics. [Available online at http://icoads.noaa.gov/r2.5.html.]
RD.69	Woodruff, S. D., et al. (2010), ICOADS Release 2.5: Extensions and enhancements to the surface marine meteorological archive., <i>International Journal of Climatology</i> (in press).
RD.70	Woodruff, S. D., H. F. Diaz, E. C. Kent, R. W. Reynolds, and S. J. Worley, 2008: The evolving SST record from ICOADS. <i>Climate Variability and Extremes during the Past 100 Years</i> , 33, 65-83.
RD.71	Kennedy, J., cited 2010: MOHC HadSST2 Page. [Available online at http://hadobs.metoffice.com/hadsst2.]
RD.72	Rayner, N. A., et al. (2006), Improved analyses of changes and uncertainties in sea surface temperature measured in situ since the mid-nineteenth century: The HadSST2 dataset, <i>Journal of Climate</i> , 19(3), 446-469.
RD.73	Kennedy, J., cited 2010: Hadley Centre Sea Ice and Sea Surface Temperature data set (HadISST). [Available online at http://hadobs.metoffice.com/hadisst.]

RD.74	Rayner, N. A., et al. (2003), Global analyses of sea surface temperature, sea ice, and night marine air temperature since the late nineteenth century, <i>Journal of Geophysical Research-Atmospheres</i> , 108(D14).
RD.75	NOAA Satellite and Information Service, cited 2010: NOAA Optimum Interpolation 1/4 Degree Daily Sea Surface Temperature Analysis. [Available online at http://www.ncdc.noaa.gov/oa/climate/research/sst/oi-daily.php .]
RD.76	Reynolds, R. W., et al. (2007), Daily high-resolution-blended analyses for sea surface temperature, <i>Journal of Climate</i> , 20, 5473-5496.
RD.77	Reynolds, R. W., cited 2010: What's New in Version 2. [Available online at http://www.ncdc.noaa.gov/oa/climate/research/sst/papers/whats-new-v2.pdf .]
RD.78	NOAA/National Climate Data Center, cited 2010: NOAA/National Climatic Data Center Open Access to Physical Climate Data Policy. [Available online at http://www.ncdc.noaa.gov/oa/about/open-access-climate-data-policy.pdf .]
RD.79	Smith, T. M., et al. (2008), Improvements to NOAA's historical merged land-ocean surface temperature analysis (1880-2006), <i>Journal of Climate</i> , 21(10), 2283-2296.
RD.80	NOAA Satellite and Information Service, cited 2010: Extended Reconstruction Sea Surface Temperature (ERSST.v3b). [Available online at http://www.ncdc.noaa.gov/oa/climate/research/sst/ersstv3.php .]
RD.81	Kaplan, A., et al. (1998), Analyses of global sea surface temperature 1856-1991, <i>Journal of Geophysical Research-Oceans</i> , 103(C9), 18567-18589.
RD.82	served from IRI/LDEO Climate Data Library, cited 2010: Kaplan Extended. [Available online at http://iri.ldeo.columbia.edu/SOURCES/.KAPLAN/.EXTENDED/ .]
RD.83	Reynolds, R. W., and T. M. Smith (1994), IMPROVED GLOBAL SEA-SURFACE TEMPERATURE ANALYSES USING OPTIMUM INTERPOLATION, <i>Journal of Climate</i> , 7(6), 929-948.
RD.84	Parker, D. E., et al. (1994), Interdecadal Changes of Surface Temperature Since The Late 19th Century, <i>Journal of Geophysical Research-Atmospheres</i> , 99(D7), 14373-14399.
RD.85	Ishii, M., et al. (2005), Objective analyses of sea-surface temperature and marine meteorological variables for the 20th century using ICOADS and the Kobe collection, <i>International Journal of Climatology</i> , 25(7), 865-879.
RD.86	GHRSSST, cited 2010: L4 Gridded SST products. [Available online at http://www.ghrsst.org/L4-Gridded-SST.html .]
RD.87	GHRSSST Science Team, cited 2010: The Recommended GHRSSST Data Specification (GDS) Revision 2.0 Technical Specifications. [Available online at http://www.ghrsst.org/modules/documents/documents/GDS2.0_TechnicalSpecifications_v2.0.pdf .]

RD.88	BADC, cited 2010: The CF Metadata Convention. [Available online at http://badc.nerc.ac.uk/help/formats/netcdf/index_cf.html .]
RD.89	Karspeck, A. R., and J. L. Anderson (2007), Experimental implementation of an ensemble adjustment filter for an intermediate ENSO model, <i>Journal of Climate</i> , 20(18), 4638-4658.
RD.90	NASA Ozone Processing Team, cited 2010: TOMS Aerosol Optical Depth Data. [Available online at http://jwocky.gsfc.nasa.gov/aerosols/aot.html .]
RD.91	Torres, O., et al. (2002), A long-term record of aerosol optical depth from TOMS observations and comparison to AERONET measurements, <i>Journal of the Atmospheric Sciences</i> , 59(3), 398-413.
RD.92	NASA, cited 2010: Goddard Space Flight Center OMI Page. [Available online at http://aura.gsfc.nasa.gov/instruments/omi.html .]
RD.93	GMES, cited 2010: MACC Home Page. [Available online at http://www.gmes-atmosphere.eu/ .]
RD.94	Met Office, cited 2010: EN3: quality controlled subsurface ocean temperature and salinity data. [Available online at http://hadobs.metoffice.com/en3/ .]
RD.95	Met Office, cited 2010: Met Office climate prediction model: HadGEM3 family. [Available online at http://www.metoffice.gov.uk/research/modelling-systems/unified-model/climate-models/hadgem3 .]
RD.96	Fugro, cited 2010: Wavescan Buoy. [Available online at http://www.oceanor.no/datasheets/Wavescan_Buoy.pdf .]
RD.97	Fugro OCEANOR, cited 2010: The Barents Sea buoy network. [Available online at http://www.oceanor.com/Barents_Sea/ .]
RD.98	Fahrbach, E., G. Rohardt, and R. Sieger, cited 2010: 25 Years of Polarstern hydrography (1982-2007), WDC-MARE report 0005. [Available online at http://epic.awi.de/Publications/Fah2007c.pdf .]
RD.99	Berry, D. I., and E. C. Kent (2009), A New Air-sea Interaction Gridded Dataset From ICOADS with uncertainty estimates, <i>Bulletin of the American Meteorological Society</i> , 90(5), 645-+.
RD.103	Berry, D. I., and E. C. Kent (2009), Air–Sea fluxes from ICOADS: the construction of a new gridded dataset with uncertainty estimates., <i>International Journal of Climatology</i> , DOI: 10.1002/joc.2059.
RD.104	Thomason, L. W., et al. (2004), A revised water vapor product for the Stratospheric Aerosol and Gas Experiment (SAGE) II version 6.2 data set, <i>Journal of Geophysical Research-Atmospheres</i> , 109(D6).

RD.105	Taha, G., et al. (2004), Comparison of Stratospheric Aerosol and Gas Experiment (SAGE) II version 6.2 water vapor with balloon-borne and space-based instruments, <i>Journal of Geophysical Research-Atmospheres</i> , 109(D18).
RD.106	BMRC, cited 2010: Operational Implementation of Global Australian Multi-Sensor Sea Surface Temperature Analysis. [Available online at http://cawcr.gov.au/bmrc/ocean/BLUElink/SST/GAMSSA%20BoM%20Operational%20Bulle tin%2077.pdf .]
RD.107	Stark, J. D., et al. (2007), OSTIA : An operational, high resolution, real time, global sea surface temperature analysis system, paper presented at Oceans 2007 - Europe, Vols 1-3, Aberdeen, Scotland, June 18-21.
RD.108	Martin, M. J., et al. (2007), Data assimilation in the FOAM operational short-range ocean forecasting system: a description of the scheme and its impact, <i>Quarterly Journal of the Royal Meteorological Society</i> , 133(625), 981-995.
RD.109	McKenzie, B., and J.-F. Cayula, cited 2010: Naval Oceanographic Office K10 L4 Powerpoint Presentation on SQUAM website. [Available online at http://www.star.nesdis.noaa.gov/sod/sst/squam/L4/ .]
RD.110	Iwasaki, S., et al. (2008), Inter-comparison and evaluation of global sea surface temperature products, <i>Int. J. Remote Sens.</i> , 29(21), 6263-6280.
RD.111	SAKURAI, T., Y. KURIHARA, and T. KURAGANO: Merged Satellite and In-situ Data Global Daily SST (MGD SST). Poster presented at Second International Workshop on Advances in the Use of Historical Marine Climate Data MARCDAT-II), Hadley Centre, Met Office, Exeter, UK. 17-20 October 2005. [Available online at http://icoads.noaa.gov/marcdat2/P_Takashi_Yoshida_MergedSST.pdf .]
RD.112	Brasnett, B. (2008), The impact of satellite retrievals in a global sea-surface-temperature analysis, <i>Quarterly Journal of the Royal Meteorological Society</i> , 134(636), 1745-1760.
RD.113	Breivik, L. A., et al. (2001), Sea ice products for EUMETSAT Satellite Application Facility, <i>Canadian Journal of Remote Sensing</i> , 27(5), 403-410.
RD.114	Madec, G., and M. Imbard (1996), A global ocean mesh to overcome the North Pole singularity, <i>Climate Dynamics</i> , 12(6), 381-388.
RD.115	RSS, cited 2010: Description of Microwave OI SST Data. [Available online at http://www.ssmi.com/sst/microwave_oi_sst_data_description.html#data_file_format .]
RD.116	RSS, cited 2010: Browse / Download Microwave OI SST Data. [Available online at http://www.ssmi.com/sst/microwave_oi_sst_browse.html .]
RD.117	Torres, O., et al. (1998), Derivation of aerosol properties from satellite measurements of backscattered ultraviolet radiation: Theoretical basis, <i>Journal of Geophysical Research-Atmospheres</i> , 103(D18), 23321-23321.

RD.118	Wellemeyer, C. G., P. K. Bhartia, S. L. Taylor, W. Qin, and C. Ahn, cited 2010: Version 8 Total Ozone Mapping Spectrometer (TOMS) Algorithm. [Available online at http://macuv.gsfc.nasa.gov/doc/toms_algor.pdf .]
RD.119	NASA, cited 2010: Space-based Measurements of Ozone and Air Quality in the Ultraviolet and Visible. [Available online at http://macuv.gsfc.nasa.gov/index.md .]
RD.120	McPeters, R. D., P. K. Bhartia, A. J. Krueger, and J. R. Herman, cited 2010: Nimbus-7 Total Ozone Mapping Spectrometer (TOMS) Data Products User's Guide. [Available online at http://jwocky.gsfc.nasa.gov/datainfo/n7usrguide.pdf .]
RD.121	McPeters, R. D., P. K. Bhartia, A. J. Krueger, and J. R. Herman, cited 2010: Earth Probe Total Ozone Mapping Spectrometer (TOMS) Data Products User's Guide. [Available online at ftp://toms.gsfc.nasa.gov/pub/epetoms/EARTHPROBE_USERGUIDE.PDF .]
RD.122	Dobber, M., et al. (2006), EOS-Aura Ozone Monitoring Instrument in-flight performance and calibration, in Earth Observing Systems XI, edited by J. Butler and J. Xiong, p. R2960.
RD.123	Dobber, M., et al. (2008), Validation of ozone monitoring instrument level 1b data products, Journal of Geophysical Research-Atmospheres, 113(D15).
RD.124	Dobber, M. R., et al. (2006), Ozone-Monitoring Instrument calibration, IEEE Transactions on Geoscience and Remote Sensing, 44(5), 1209-1238.
RD.125	Kroon, M., et al. (2008), Ozone Monitoring Instrument geolocation verification, Journal of Geophysical Research-Atmospheres, 113(D15).
RD.126	van den Oord, G. H. J., et al. (2006), Data processing and in-flight calibration systems for OMI-EOS-Aura, in Earth Observing Systems XI, edited by J. Butler and J. Xiong, p. S2960.
RD.127	McCormick, M. P. (1987), Sage II: An overview, Advances in Space Research, 7(3), 219-226.
RD.128	Barton, I. J., et al. (1993), The Along Track Scanning Radiometer - An Analysis of Coincident Ship And Satellite Measurements, Remote Sensing for Oceanography, Hydrology and Agriculture, 13, 69-74.
RD.129	Harris, A. R., and M. A. Saunders (1996), Global validation of the along-track scanning radiometer against drifting buoys, Journal of Geophysical Research-Oceans, 101(C5), 12127-12140.
RD.130	Mathur, A. K., et al. (2002), Validation of ERS-1/ATSR derived SST in Indian waters, International Journal of Remote Sensing, 23(24), 5155-5163.
RD.131	Mutlow, C. T., et al. (1994), Sea-surface Temperature Measurements By The Along-track Scanning Radiometer on The ERS-1 Satellite - Early results, Journal of Geophysical Research-Oceans, 99(C11), 22575-22588.
RD.132	Parkes, I. M., et al. (2000), The Mutsu Bay Experiment: validation of ATSR-1 and ATSR-2

	sea surface temperature, International Journal of Remote Sensing, 21(18), 3445-3460.
RD.133	Sobrino, J. A., et al. (2004), Surface temperature retrieval from Along Track Scanning Radiometer 2 data: Algorithms and validation, Journal of Geophysical Research-Atmospheres, 109(D11).
RD.134	Illingworth, S. M., et al. (2009), Intercomparison of integrated IASI and AATSR calibrated radiances at 11 and 12 μm , Atmospheric Chemistry and Physics, 9(18), 6677-6683.
RD.135	Le Borgne, P., G. Legendre, and A. Marsouin, cited 2010: Operational SST Retrieval From METOP/AVHRR. [Available online at http://www.eumetsat.int/Home/Main/Publications/Conference_and_Workshop_Proceedings/groups/cps/documents/document/pdf_conf_p50_s5_01_leborgne_v.pdf .]
RD.136	Gentemann, C. L., et al. (2004), In situ validation of Tropical Rainfall Measuring Mission microwave sea surface temperatures, Journal of Geophysical Research-Oceans, 109(C4).
RD.137	Wentz, F. J., et al. (2001), Post-launch calibration of the TRMM microwave imager, IEEE Transactions on Geoscience and Remote Sensing, 39(2), 415-422.
RD.138	Kummerow, C., et al. (2000), The status of the Tropical Rainfall Measuring Mission (TRMM) after two years in orbit, J. Appl. Meteorol., 39(12), 1965-1982.
RD.139	Temis, cited 2010: Absorbing Aerosol Index. [Available online at http://www.temis.nl/airpollution/absaai/ .]
RD.140	ESA, cited 2010: ESA Metop Meteorological Missions: About GOME-2. [Available online at http://www.esa.int/esaLP/SEMTTEG23IE_LPmetop_0.html .]
RD.141	ESA, cited 2010: ESA Earthnet online: ERS: GOME. [Available online at http://earth.esa.int/object/index.cfm?fobjectid=4004 .]
RD.142	de Graaf, M., et al. (2005), Absorbing Aerosol Index: Sensitivity analysis, application to GOME and comparison with TOMS, Journal of Geophysical Research-Atmospheres, 110(D1).
RD.143	De Graaf, M., O. Tuinder, and G. Tilstra, cited 2010: O3MSAF Algorithm Theoretical Basis Document for ARS. [Available online at http://o3msaf.fmi.fi/docs/atbd/Algorithm_Theoretical_Basis_Document_ARS_Sep_2009.pdf .]
RD.144	Burrows, J. P., et al. (1999), The global ozone monitoring experiment (GOME): Mission concept and first scientific results, Journal of the Atmospheric Sciences, 56(2), 151-175.
RD.145	Casper, C., and K. Chance (1997), GOME wavelength calibration using solar and atmospheric spectra, Third ERS Symposium on Space at the Service of Our Environment, Vols. II & III, 414, 609-614.
RD.146	van Geffen, J. H. G. M., and R. F. van Oss (2003), Wavelength calibration of spectra

	measured by the Global Ozone Monitoring Experiment by use of a high-resolution reference spectrum, Applied Optics, 42(15), 2739-2753.
RD.147	Dobber, M., et al. (2004), Ozone monitoring instrument flight-model on-ground and inflight calibration, Proceedings of the 5th International Conference on Space Optics (ICSO 2004), 554, 89-96.
RD.148	Voors, R., et al. (2006), Method of calibration to correct for cloud-induced wavelength shifts in the Aura satellite's Ozone Monitoring Instrument, Applied Optics, 45(15), 3652-3658.
RD.149	Tilstra, L. G., O. N. E. Tuinder, and P. Stammes, cited 2010: O3M SAF Validation Report. [Available online at http://www.temis.nl/airpollution/absaai/doc/aai_verification_2007_2009_v2010a_v20100330.pdf .]
RD.150	Systematic Observation Requirements for Satellite-based Products for Climate: Supplemental Details to the satellite-based component of the "Implementation Plan for the Global Observing System for Climate in support of the UNFCCC (GCOS-92)", GCOS-107, September 2006 (WMO/TD No.1338) Available online at http://www.wmo.int/pages/prog/gcos/index.php
RD.151	Satellite Observation of the Climate System: The Committee on Earth Observation Satellites (CEOS) Response to the Global Climate Observing System (GCOS) Implementation Plan Available online at http://www.ceos.org/pages/CEOSResponse_1010A.pdf
RD.152	The Second Report on the Adequacy of the Global Observing Systems for Climate in Support of the UNFCCC, GCOS – 82, April 2003 (WMO/TD No. 1143) Available online at http://www.wmo.int/pages/prog/gcos/index.php
RD.153	IPCC, 2007: Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, Pachauri, R.K and Reisinger, A. (eds.)]. IPCC, Geneva, Switzerland, 104 pp. All 4 documents contributing to the Fourth Assessment Report are available online at http://www.ipcc.ch/publications_and_data/publications_and_data_reports.htm
RD.154	UNFCCC, 2008, Report of the Conference of the Parties on its thirteenth session, held in Bali from 3 to 15 December 2007: Addendum Part Two: Action taken by the Conference of the Parties at its thirteenth session, FCCC/CP/2007/6/Add.1, 14 March 2008 Available online at http://unfccc.int/meetings/cop_13/items/4049.php
RD.155	The ESA Climate Change Initiative – Description issue 1 revision 0 - 30/09/09 EOP-SEP/TN/0030-09/SP Available online at: http://earth.esa.int/workshops/esa_cci/ESA_CCI_Description.pdf

RD.156	GCOS Climate Monitoring Implementation Principles, November 1999 Available online at: http://www.wmo.int/pages/prog/gcos/documents/GCOS_Climate_Monitoring_Principles.pdf
RD.157	Guideline for the Generation of Satellite-based Datasets and Products meeting GCOS Requirements, GCOS Secretariat, GCOS-128, March 2009 (WMO/TD No. 1488) Available online at: http://www.wmo.int/pages/prog/gcos/index.php
RD.158	The European Commission 7th Framework Programme: http://cordis.europa.eu/fp7/
RD.159	Implementation Plan for the Global Observing System for Climate in support of the UNFCCC, GCOS-92, October 2004 (WMO/TD No.1219) Available online at http://www.wmo.int/pages/prog/gcos/index.php
RD.160	Second Report on the Adequacy of the Global Observing Systems for Climate in Support of the UNFCCC, GCOS-82, April 2003 (WMO/TD No. 1143) Available online at http://www.wmo.int/pages/prog/gcos/index.php
RD.161	The ESA Data User Element: http://www.esa.int/due
RD.162	Information on Essential Climate Variable (ECV) related products to be delivered by FP7 Space projects Geoland-2, MyOcean, MACC and three new projects planned to start up following successful negotiations, can be found at: http://ec.europa.eu/enterprise/policies/space/research/fp7-callforproposals/climate_change_en.htm
RD.163	Guideline for the generation of datasets and products meeting GCOS Requirements, GCOS-143 (WMO/TD No.1530), May 2010
RD.164	ESA Climate Change Initiative phase 1 – scientific user consultation and detailed specification – statement of work, Issue 1.4, Revision 1, 09/11/2009, Reference EOP-SEP/SOW/0031-09/SP; http://earth.eo.esa.int/workshops/esa_cci/a06207SoW.pdf
RD.165	Annex G to RD.164, Sea Surface Temperature ECV (SST_cci)
RD.166	Taylor, K.E. and C. Doutriaux (2010), CMIP5 Model Output Requirements: File Contents and Format, Data Structure and Metadata; http://cmip-pcmdi.llnl.gov/cmip5/docs/CMIP5_output_metadata_requirements.pdf
RD.167	Rew, R., G. Davis, S. Emmerson, H. Davies, E. Hartnett and D. Heimbigner (2010), The NetCDF Users Guide; http://www.unidata.ucar.edu/software/netcdf/docs/netcdf.pdf
RD.168	Climate Modelling User Group (2010), Requirement Baseline Document; http://dialspace.dial.pipex.com/prod/dialspace/town/estate/gtp89/cmug/D1.2_URD_v1.3.pdf
RD.169	ESA Climate Change Initiative – CCI project guidelines, Issue 1, Revision 0,

	05/11/2010, Reference EOP-DTEX-EOPS-SW-10-0002
RD.170	NetCDF Attribute Convention on Dataset Discovery (ACDD): http://www.unidata.ucar.edu/software/netcdf-java/formats/DataDiscoveryAttConvention.html
RD.171	CCI Phase 1 (SST) (2010), User Requirements Document, Reference SST_CCI-URD-UKMO-001; http://www.esa-sst-cci.org/sites/default/files/documents/admin/public/SST_cci_URD_UKMO-001_Issue_2.pdf
RD.172	SST_CCI Data Access Requirements Document, SST_CCI-DARD-UoL-001
RD.173	SST_CCI Product Validation Plan, SST_CCI-PVP-UoL-001
RD.174	CCI Phase 1 (SST), Error Characterisation (in preparation)
RD.175	CCI Phase 1 (SST), Product Specification Document
RD.176	Olsen, L.M., G. Major, K. Shein, J. Scialdone, R. Vogel, S. Leicester, H. Weir, S. Ritz, T. Stevens, M. Meaux, C. Solomon, R. Bilodeau, M. Holland, T. Northcutt and R. A. Restrepo (2007), NASA/Global Change Master Directory (GCMD) Earth Science Keywords Version 6.0.0.0.0; http://gcmd.nasa.gov/Resources/valids/
RD.177	NetCDF Climate and Forecast (CF) Metadata Convention; http://cf-pcmdi.llnl.gov/
RD.178	The UDUNITS-2 package; http://www.unidata.ucar.edu/software/udunits/udunits-2/udunits2.html
RD.179	Závody, Albin M., Christopher T. Mutlow, David T. Llewellyn-Jones, 2000: Cloud Clearing over the Ocean in the Processing of Data from the Along-Track Scanning Radiometer (ATSR). <i>J. Atmos. Oceanic Technol.</i> , 17 , 595–615.
RD.180	Merchant C J, Harris A R, Maturi E and MacCallum S (2005), Probabilistic physically-based cloud screening of satellite infra-red imagery for operational sea surface temperature retrieval, <i>Quart. J. Royal Met. Soc.</i> , 131 , 2735-2755.
RD.181	Merchant C J, C P Old, O Embury and S N MacCallum (2008), Generalized Bayesian Cloud Screening: Algorithm Theoretical Basis version 2.1, School of GeoSciences, University of Edinburgh. Available from: http://www.geos.ed.ac.uk/gbcs/ATBv2.1c.pdf and via http://www.esa-sst-cci.org .
RD.182	Saunders R, P Rayer, J Hocking, M Matricardi, A Geer and P Brunel (2010), RTTOV-10 Users Guide Version 0.3, NWOSAF-MO-UD-023.
RD.183	Spinks P and C Merchant (2010), ESA CCI Phase 1 Scientific User Consultation and Detailed Specification for Sea Surface Temperature (SST), Management Proposal V2, GEOSCIE320.
RD.184	Embrey, O., C. J. Merchant and G. K. Corlett (2012), A Reprocessing for Climate of Sea Surface Temperature from the Along-Track Scanning Radiometers: Initial validation, accounting for skin and diurnal variability, <i>Rem. Sens. Env.</i> , pp62 - 78. DOI:10.1016/j.rse.2011.02.028

RD.185	Embry, O. and C. J. Merchant (2012), A Reprocessing for Climate of Sea Surface Temperature from the Along-Track Scanning Radiometers: A New Retrieval Scheme, <i>Rem. Sens. Env.</i> , pp 47 - 61, DOI: 10.1016/j.rse.2010.11.020
RD.186	Embry, O., C. J. Merchant and M. J. Filipiak (2012), A Reprocessing for Climate of Sea Surface Temperature from the Along-Track Scanning Radiometers: Basis in Radiative Transfer, <i>Rem. Sens. Env.</i> , pp32 - 46, DOI: 10.1016/j.rse.2010.10.016
RD.187	Merchant C J, D Llewellyn-Jones, R W Saunders, N A Rayner, E C Kent, C P Old, D Berry, A R Birks, T Blackmore, G K Corlett, O Embury, V L Jay, J Kennedy, C T Mutlow, T J Nightingale, A G O'Carroll, M J Pritchard, J J Remedios and S Tett (2008), Deriving a sea surface temperature record suitable for climate change research from the along-track scanning radiometers, <i>Adv. Sp. Res.</i> , 41 (1), 1-11. doi:10.1016/j.asr.2007.07.041
RD.188	Birks, A. R., Detector Temperature Dependence of the 12 micron Channel Filter Profile and its Impact on the ATSR-1 Calibration, Rutherford Appleton Laboratory, Science and Technology Facilities Council, October 2008. Available via http://www.esa-sst-cci.org .
RD.189	CCI Phase 1 (SST): Technical note on product metrics derived from the user requirements document
RD.190	Vermote, E. F., D. Tanre, J. L. Deuze, M. Herman and J-J. Morcrette (1997), Second Simulation of the Satellite Signal in the Solar Spectrum, 6S: An Overview, <i>IEEE Transactions on Geoscience and Remote Sensing</i> , Vol 35, No 3.
RD.191	<i>Bureau International des Poids et Mesures</i> , Guide to the Expression of Uncertainty in Measurement (GUM), JCGM 100:2008, 2008. Available online at http://www.bipm.org/en/publications/guides/gum.html
RD.192	Blake, D. (2005), Methane, Nonmethane Hydrocarbons, Alkyl Nitrates, and Chlorinated Carbon Compounds including 3 Chlorofluorocarbons (CFC-11, CFC-12, and CFC-113) in Whole-air Samples. In Trends: A Compendium of Data on Global Change. Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A.: Carbon Dioxide Information Analysis Center.
RD.193	Conway, Thomas J., Pieter P. Tans, Lee S. Waterman, Kirk W. Thoning, Duane R. Kitzis, Kenneth A. Masarie, and Ni Zhang. 1994. "Evidence for interannual variability of the carbon cycle from the National Oceanic and Atmospheric Administration/Climate Monitoring and Diagnostics Laboratory Global Air Sampling Network." <i>Journal of Geophysical Research</i> 99 (D11): 22831-22855. doi:10.1029/94JD01951.
RD.194	Dlugokencky, E. J., P. M. Lang, and K. A. Masarie. 2011. Atmospheric Methane Dry Air Mole Fractions from quasi-continuous measurements at Barrow, Alaska and Mauna Loa, Hawaii, 1986-2010. April 25. ftp://ftp.cmdl.noaa.gov/ccg/ch4/in-situ/README_insite_ch4.html .
RD.195	Livesey, N. J., W. G. Read, A. Lambert, R. E. Cofield, D. T. Cuddy, L. Froidevaux, R. A. Fuller, et al. 2007. EOS MLS Version 2.2 Level 2 data quality and description document. Technical Report. Jet Propulsion Laboratory. http://mls.jpl.nasa.gov/data/v2-2_data_quality_document.pdf .
RD.196	Santee, M. L., A. Lambert, W. G. Read, N. J. Livesey, R. E. Cofield, D. T. Cuddy, W. H. Daffer, et al. 2007. "Validation of the Aura Microwave Limb Sounder HNO ₃ measurements."

	Journal of Geophysical Research 112 (D24). doi:10.1029/2007JD008721. http://www.agu.org/pubs/crossref/2007/2007JD008721.shtml .
RD.197	O&SI SAF Project Team, cited 2010: OSI SAF Low Earth Orbiter Sea Surface Temperature Product User Manual. [Available online at Low Earth Orbiter Sea Surface Temperature Product User Manual SAF/OSI/CDOP/M-F/TEC/MA/127.]
RD.198	EUMETSAT, cited 2010: GSCIS Meteosat IR Inter-calibration. Available online at http://www.eumetsat.int/Home/Main/DataProducts/Calibration/Inter-calibration/GSCISMeteoSatIRInter-calibration/
RD.199	Borgne, P. L., G. Legendre, A. Marsouin, and S. Pére, cited 2010: Homogeneous validation scheme of the OSI SAF Sea Surface Temperature
RD.200	Thomas, S. M., et al. (2004), Comparison of NOAA's operational AVHRR-derived cloud amount to other satellite-derived cloud climatologies, <i>Journal of Climate</i> , 17(24), 4805-4822.
RD.201	Heidinger, A. K. et al., A Naive Bayesian Cloud Detection Scheme Derived from CALIPSO and Applied within PATMOS-x, in revision.
RD.202	Kalnay, E., et al. (1996), The NCEP/NCAR 40-year reanalysis project, <i>Bulletin of the American Meteorological Society</i> , 77(3), 437-471.
RD.203	Lumpkin, R., and Z. Garraffo (2005), Evaluating the decomposition of tropical Atlantic drifter observations, <i>Journal of Atmospheric and Oceanic Technology</i> , 22(9), 1403-1415.
RD.204	Andersen, S., and I. Belkin, 2006: Adaptation of global frontal climatologies for use in the OSI-SAF global SST cloud-masking scheme. Technical Report of the Danish Meteorological Institute, No. 06-14.
RD.205	Kilpatrick, K. A., et al. (2001), Overview of the NOAA/NASA advanced very high resolution radiometer Pathfinder algorithm for sea surface temperature and associated matchup database, <i>Journal of Geophysical Research-Oceans</i> , 106(C5), 9179-9197.
RD.206	Kearns, E. J., et al. (2000), An independent assessment of pathfinder AVHRR sea surface temperature accuracy using the Marine Atmosphere Emitted Radiance Interferometer (MAERI), <i>Bulletin of the American Meteorological Society</i> , 81(7), 1525-1536.
RD.207	Thiebaux, J., et al. (2003), A new high-resolution blended real-time global sea surface temperature analysis, <i>Bulletin of the American Meteorological Society</i> , 84(5), 645-656. doi: 10.1175/BAMS-84-5-645
RD.208	Gemmell, W., B. Katz, and X. Li, 2007: Daily Real-Time, Global Sea Surface Temperature High-Resolution Analysis at NOAA/NCEP, NOAA / NWS / NCEP / MMAB Office Note Nr. 260
RD.209	Autret, E., and J. F. Piollé: Implementation of a global SST analysis. [Available online at http://cersat.ifremer.fr/content/download/1163/6269/file/MERSEA-WP02-IFR-STR-001-1A.pdf .]
RD.210	Kennedy J.J., Rayner, N.A., Smith, R.O., Saunby, M. and Parker, D.E. (2011). Reassessing biases and other uncertainties in sea-surface temperature observations since 1850 part 1: measurement and sampling errors. <i>J. Geophys. Res.</i> , 116, D14103,

	doi:10.1029/2010JD015218.
RD.211	Kennedy J.J., Rayner, N.A., Smith, R.O., Saunby, M. and Parker, D.E. (2011). Reassessing biases and other uncertainties in sea-surface temperature observations since 1850 part 2: biases and homogenisation. <i>J. Geophys. Res.</i> , 116, D14104, doi:10.1029/2010JD015220.
RD.212	Reynolds, R. W., et al. (2002), An improved in situ and satellite SST analysis for climate, <i>Journal of Climate</i> , 15(13), 1609-1625.
RD.213	Donlon, C. J., et al. (2012), The Operational Sea Surface Temperature and Sea Ice Analysis (OSTIA) system, <i>Remote Sensing of Environment</i> , 116, 140-158.
RD.214	Gentemann, C., et al. (2006), Near real-time global optimum interpolated microwave SSTs: applications to hurricane intensity forecasting., paper presented at 27th Conference on Hurricanes and Tropical Meteorology, Monterey, California, USA., 28 April 2006.
RD.215	Bennett, V. (2011), Format and Metadata Guidelines for CCI Data Products (draft).
RD.216	Casey, K.S., T.B. Brandon, P. Cornillon, and R. Evans (2010). "The Past, Present and Future of the AVHRR Pathfinder SST Program", in <i>Oceanography from Space: Revisited</i> , eds. V. Barale, J.F.R. Gower, and L. Alberotanza, Springer. DOI: 10.1007/978-90-481-8681-5_16
RD.217	SST_CCI Round Robin Data Package specification, SST_CCI-RRDPS-UoL-001
RD.218	SST_CCI Round Robin Protocol, SST_CCI-RRP-UoL-001
RD.219	Donlon, C.J., et al. (2009), The GODAE High Resolution Sea Surface Temperature Pilot Project, <i>Oceanography</i> , 22(3), 34-45.
RD.220	SST_CCI Acronyms, SST_CCI-REP-UOE-002-Acronym_list.pdf [Current issue]
RD.221	Merchant C J, P Le Borgne, A Marsouin and H Roquet (2008), Optimal estimation of sea surface temperature from split-window observations, <i>Rem. Sens. Env.</i> , 112 (5), 2469-2484. doi:10.1016/j.rse.2007.11.011
RD.222	Gentemann, C. L., P. J. Minnett, and B. Ward (2009), Profiles of ocean surface heating (POSH): A new model of upper ocean diurnal warming, <i>J. Geophys. Res.</i> , 114, C07017, doi:10.1029/2008JC004825.
RD.223	Petrenko, B., A. Ignatov, N. Shabanov, and Y. Kihai, Development and evaluation of sea surface temperature algorithms for GOES-R ABI using MSG SEVIRI as a proxy, <i>Remote Sensing of Environment</i> (2011), doi:10.1016/j.rse.2011.09.003
RD.224	Eastwood, S. E, S. Andersen (2007), Masking of Sea Ice for METOP SST Retrieval, Technical Report Version 1.
RD.225	Merchant, C. J., (2011), SST CCI Algorithm Theoretical Basis Document v0, http://www.esa-sst-cci.org/?q=webfm_send/47
RD.226	MacCallum and Merchant (2012), SST CCI Algorithm Selection Report, http://www.esa-sst-cci.org/

RD.227	Fairall, C., E. Bradley, J. Godfrey, G. Wick, J. Edson, and G. Young (1996), Cool-skin and warm-layer effects on sea surface temperature, <i>J. Geophys. Res.</i> , 101(C1), 1295-1308.
RD.228	Le Borgne, P., H. Roquet and C. J. Merchant (2011), Estimation of sea surface temperature from the Spinning Enhanced Visible and Infra Red Imager, improved using numerical weather prediction, <i>Rem. Sens. Env.</i> , 115, 55-66, DOI: 10.1016/j.rse.2010.08.004
RD. 229	Merchant C J, SST CCI Uncertainty Characterisation Report v1, 2011, available from www.esa-sst-cci.org .
RD.230	Heidinger, A.K, 2010 (RD.: GOES-R AWG Advanced Baseline Imager Cloud Detection Algorithm Theoretical Basis Document, http://www.goes-r.gov/procurement/ground_documents/Cloud_Mask_GOES-R_ABI_ATBD_v0.8.pdf)
RD.231	CLAVR-X installation instructions, https://groups.ssec.wisc.edu/users/wstraka/aix-clavr-x-code/installing-clavr-x-on-your-own-machine
RD.232	SST_CCI Multi-sensor Match-up Dataset Specification, SST_CCI-REP-UoL-001
RD.233	Karspeck, A. et al 2011: Bayesian modelling and ensemble reconstruction of mid-scale variability in North Atlantic SSTs for 1850-2008 QJRM doi:10.1002/qj.900
RD.234	Minnett, P. J., 1991: Consequences of sea surface temperature variability on the validation and applications of satellite measurements. <i>J. Geophys. Res.</i> , 96, 18,475-18,489.
RD.235	Beggs Helen (2008) GAMSSA – A New Global Australian Multi-Sensor SST Analysis, Submitted to Proceedings of the 9th GHRSST–PP Science Team Meeting, Perros-Guirec, France, 9-13 June 2008. http://cawcr.gov.au/projects/SST/GHRSST9/9th_GHRSST-PP_Meeting_GAMSSA_paper.doc
RD.236	Zhong, Aihong and Helen Beggs (2008) Analysis and Prediction Operations Bulletin No. 77 - Operational Implementation of Global Australian Multi-Sensor Sea SurfaceTemperature Analysis, 2 October 2008. http://cawcr.gov.au/projects/SST/GAMSSA_BoM_Operational_Bulletin_77.pdf
RD.237	Kurihara, Y., T. Sakurai, and T. Kuragano (2006), Global daily sea surface temperature analysis using data from satellite microwave radiometer, satellite infrared radiometer and in-situ obvservations. <i>Weather Bulletine</i> , 73. s1-s18 (in Japanese).
RD.238	Brasnett, B. (1997). A global analysis of sea surface temperature for numerical weather prediction. <i>J. Atmos. Oceanic Technol.</i> 14: 925-937.
RD.239	Roberts-Jones, J., E. Fiedler and M. Martin, 2012: Daily, global, high-resolution SST and sea-ice reanalysis for 1985-2007 using the OSTIA system, <i>J. Climate</i> , 25, 6215-6232, doi:10.1175/JCLI-D-11-00648.1.
RD.240	Miller, P., 2009: Composite front maps for improved visibility of dynamic sea-surface features on cloudy SeaWiFS and AVHRR data, <i>J. Marine Systems</i> , 78, 327-336.
RD.241	Saji, N. H., Goswami, B. N., Vinayachandran, P. N., and Yamagata, T., 1999: A dipole

	mode in the tropical Indian Ocean, <i>Nature</i> , 401, 360–363.
RD.242	Theocharus, E., E. Usadi and N.P. Fox, 2010: CEOS comparison of IR brightness temperature measurements in support of satellite validation. Part I: Laboratory and ocean surface temperature comparison of radiation thermometers, NPL report OP3, 136pp.
RD.243	Kennedy, J.J., R.O. Smith and N.A. Rayner, 2011a: Using AATSR data to assess the quality of in situ sea-surface temperature observations for climate studies, in press in <i>Remote Sensing of the Environment</i>
RD.244	Reverdin G., Boutin J., Martin N., et al., 2010: Temperature Measurements from Surface Drifters, <i>J. Atmos. Ocean. Tech.</i> , 27, 1403-1409, doi: 10.1175/2010JTECHO741.1
RD.245	Emery, W., D. Baldwin, P. Schlussel, and R. Reynolds, 2001: Accuracy of in situ sea surface temperatures used to calibrate infrared satellite measurements, <i>Journal of Geophysical Research</i> , 106 (C2), 2387–2405, doi:10.1029/2000JC000246.
RD.246	O'Carroll, A.G., J.R. Eyre and R.W. Saunders, 2008: Three-way error analysis between AATSR, AMSR-E, and in situ sea surface temperature observations, <i>J. Atmos. Ocean. Tech.</i> , 25, 1197-1207, doi: 10.1175/2007JTECHO542.1
RD.247	Ullman D.S., Cornillon P.C. 2000. Evaluation of front detection methods for satellite-derived SST data using in situ observations. <i>J. Atmos. Oceanic Tech.</i> , 17(12), pp. 1667–1675
RD.248	Merchant, C. J., A. R. Harris, H. Roquet, and P. Le Borgne (2009), Retrieval characteristics of non-linear sea surface temperature from the Advanced Very High Resolution Radiometer, <i>Geophys. Res. Lett.</i> , 36, L17604, doi:10.1029/2009GL039843.
RD.249	SST CCI Algorithm Theoretical Basis Document v 1,
RD.250	Brisson, A., P. LeBorgne & A. Marsouin (2002). Results of one year of preoperational production of Sea Surface Temperatures from GOES-8, <i>Journal of Atmospheric and Oceanic Technology.</i> , 19, 1638-1652.
RD.251	Francois, C., A. Brisson, P. Le Borgne & A. Marsouin (2002). Definition of a radio-sounding database for sea surface brightness temperatures simulations: application to sea surface temperature retrieval algorithm determination, <i>Remote Sensing of Environment</i> , 81, 309-326.
RD.252	Walton, C. C., Pichel, W. G., Sapper, J. F., & May, D. A. (1998). The development and operational application of nonlinear algorithms for the measurement of sea surface temperatures with the NOAA polar-orbiting environmental satellites. <i>Journal of Geophysical Research</i> , 103, 27,999–28,012.
RD.253	Merchant, C. J., & Le Borgne, P. (2004). Retrieval of sea surface temperature from space based on modeling of infrared radiative transfer: Capabilities and limitations. <i>Journal of Atmospheric and Oceanic Technology</i> , 22(11), 1734–1746.
RD.254	Derrien, M. & H. LeGleau (2005). MSG/SEVIRI cloud mask and type from SAFNWC, <i>International Journal of Remote Sensing</i> , Vol. 26, No. 21, 4707–4732.
RD.255	Derrien, M. & H. LeGleau (2010). Improvement of cloud detection near sunrise and sunset

	by temporal differencing and region-growing techniques with real-time SEVIRI, <i>International Journal of Remote Sensing</i> , Vol. 31, No. 7, 1765-1780, DOI: 10.1080/01431160902926632
RD.256	EUMETSAT, 2006, Atlantic Sea Surface Temperature Product Manual, http://www.osi-saf.org
RD.257	Merchant C J, Improved optimal estimation for sea surface temperature for SEVIRI, EUMETSAT/OSI-SAF Visiting Scientist Report OSI-AS11-P02, 2011.
RD.258	SST_CCI System Requirements Document, SST_CCI-SRD-BC-001
RD.259	SST_CCI System Specification Document, SST_CCI-SSD-BC-001
RD.260	He, R., K. Chen, T. Moore and M. Li (2010): Mesoscale variations of sea surface temperature and ocean color patterns at the Mid-Atlantic Bight shelfbreak, GRL, 37, doi:10.1029/2010GL042658
RD.261	Sokolov S. and S.R. Rintoul, 2007, On the relationship between fronts of the Antarctic Circumpolar Current and surface chlorophyll concentrations in the Southern Ocean, JGR, 112, doi:10.1029/2006JC004072
RD.262	Horrocks L. A., Candy B., Nightingale T. J., Saunders R. W., O'Carroll A., and Harris A. R., Parameterisations of the ocean skin effect and implications for satellite-based measurement of sea surface temperature. J. Geophys. Res., Vol. 108(C3), 3096, doi:10.1029/2002JC001503, 2003.
RD.263	Kantha L.H., and Clayson C.A., An improved mixed layer model for geophysical applications. J. Geophys. Res. Vol. 99 (C12), 25235–25266, 1994.
RD.264	Lisa A. Horrocks, Andrew R. Harris, and Roger W. Saunders, Modelling the diurnal thermocline for daytime bulk SST from AATSR, NWP FRTR No. 418, Met Office, 2003.
RD.265	Gentemann, C. L., P. J. Minnett, P. Le Borgne, and C. J. Merchant (2008), Multi-satellite measurements of large diurnal warming events, Geophys. Res. Lett., 35, L22602, doi:10.1029/2008GL035730.
RD.266	Mark Filipiak, Diurnal adjustment model selection, SST_CCI REP_XXX_NNN
RD.267	Mark Filipiak, Diurnal adjustment model theoretical basis, SST_CCI REP_XXX_NNN
RD.268	Chelle Gentemann, Marty Brewer, Kyle Hilburn, and Frank Wentz: Algorithm Development GCOM-W AMSR-2 Ocean Product Suite, presentation at Joint PI Workshop of Global Environment Observation Mission, Otemachi, Tokyo, Japan, December 6-9, 2010.
RD.269	Mark Filipiak, Passive microwave uncertainty characterisation, SST_CCI REP_XXX_NNN
RD.270	GCOS, Systematic Observation Requirements for Satellite Based Data Products for Climate 2011 Update, GCOS 154, December 2011. http://www.wmo.int/pages/prog/gcos/documents/SatelliteSupplement2011Update.pdf
RD.271	Merchant C J, Uncertainty Characterisation Report v1, 2012, SST_CCI-UCR-UOE-001_Issue_1_Accepted_Signed.pdf

RD.272	Corlett G, Product Validation Plan, 2012, SST_CCI-PVP-UoL-001_Issue_1_Accepted_Signed.pdf
RD.273	Merchant C J, Algorithm Theoretical Basis Document 0, 2012, SST-CCI-ATBDv0-UOE-004-Issue 1 (Accept-Signed).pdf
RD.274	Killie, M. A., Ø. Godøy, S. Eastwood and T. Lavergne: ATBD for EUMESAT OSI SAF Regional Ice Edge Product, v1.1, 2011. http://osisaf.met.no/docs/osisaf_ss2_atbd_ice-edge-reg_v1p1.pdf
RD.275	Roberts-Jones J., E. Fiedler and M. Martin (2011), Description and assessment of the OSTIA reanalysis. Met Office Forecasting Research Technical Note, 561. http://www.metoffice.gov.uk/archive/forecasting-research-technical-report-561 .
RD.276	Daley, R. (1991). Atmospheric data analysis. Cambridge University Press.
RD.277	Steele, M., R. Morley and W. Ermold (2001). PHC: A global ocean hydrography with a high-quality Arctic Ocean. J. Climate, 14, 2079-2087.
RD.278	Hollingsworth, A. and P. Lonnberg (1986). The statistical structure of short-range forecast errors as determined from radiosonde data. Part 1: The wind field. Tellus, 38A, 111-136.
RD.279	Bell, M.J., R.M. Forbes and A. Hines (2000). Assessment of the FOAM global data assimilation system for real-time operational ocean forecasting. J. Marine Systems, 25, 1-22.
RD.280	Bell, M.J., A. Hines and M.J. Martin (2003). Variational assimilation evolving individual observations and their error estimates. Met Office Ocean Applications technical note no. 32. Available from Met Office, Fitzroy Rd, Exeter, UK.
RD.281	Hurrell, J.W., J.J. Hack, D. Shea, J.M. Caron and J. Rosinski (2008). A new sea surface temperature and sea ice boundary dataset for the Community Atmosphere Model, J. Climate, 21, 5145-5153.
RD.282	Ingleby, B. and M. Huddleston (2007). Quality control of ocean temperature and salinity profiles - historical and real-time data, Journal of Marine Systems, 65, 158-175.
RD.283	Mogensen, K.S, M.A. Balmaseda, A. Weaver, M.J. Martin and A. Vidard (2009), NEMOVAR: A variational data assimilation system for the NEMO Ocean Model, ECMWF newsletter, Summer 2009.
RD.284	Mogensen, K.M., M.A. Balmaseda and A. Weaver (2012), The NEMOVAR ocean data assimilation system as implemented in the ECMWF ocean analysis for System 4. ECMWF tech memo number 668, February 2012.
RD.285	European Committee for Space Standardisation - Software, ECSS-E40, Issue C, 06 March 2009
RD.286	ENVISAT-1 Products Specification - http://envisat.esa.int/support-docs/productspecs/
RD.287	ENVISAT-1 Products Specification - Volume 7: AATSR Products Specification, IDEAS-SER-IPF-SPE-0288, Issue 4 / A, 25 March 2009

RD.288	NOAA KLM User's Guide, http://www.ncdc.noaa.gov/oa/pod-guide/ncdc/docs/klm/index.htm
RD.289	WMO publication No 306, Manual on Codes, http://www.wmo.int/pages/prog/www/WMOCodes/WMO306_v12/Volumel.2.html
RD.290	CDO User's Guide, Issue 1.5.4
RD.291	A User's Guide for SCRIP: a Spherical Coordinate Remapping and Interpolation Package, Issue 1.4
RD.292	MSG Ground Segment LRIT/HRIT Mission Specific Implementation, Doc.no. EUM/MSG/SPE/057, Issue 6, 21 June 2006
RD.293	AVHRR/3 Level 1 Product Format Specification, Doc.no. EPS.MIS.SPE.97231, Issue v7C, 29 September 2009
RD.294	Jonah Roberts-Jones, Emma Fiedler, Matthew Martin, Alison McLaren, Improvements to the Operational Sea Surface Temperature and Sea Ice Analysis (OSTIA) system, UKMO Tech Document. SST_CCI_TN_UKMO_002
RD.295	Merchant, C. J., P. LeBorgne, H. Roquet and G. Legendre, Extended optimal estimation techniques for sea surface temperature from the Spinning Enhanced Visible and Infra--Red Imager (SEVIRI), Rem. Sens. Env., 131, 287-297, 2013, http://dx.doi.org/10.1016/j.rse.2012.12.019
RD.296	Merchant, C. J., O. Embury, N. A. Rayner, D. I. Berry, G. Corlett, K. Lean, K. L. Veal, E. C. Kent, D. Llewellyn-Jones, J. J. Remedios, and R. Saunders (2012), A twenty-year independent record of sea surface temperature for climate from Along Track Scanning Radiometers, J. Geophys. Res., 117, C12013, doi:10.1029/2012JC008400.
RD.297	Watts, PD; Allen, MR; Nightingale, TJ, (1996) Wind speed effects on sea surface emission and reflection for the Along Track Scanning Radiometer JOURNAL OF ATMOSPHERIC AND OCEANIC TECHNOLOGY Volume: 13 Issue: 1 Pages: 126-141 DOI: 10.1175/1520-0426(1996)013<0126:WSEOSS>2.0.CO;2
RD.298	Mittaz J and A Harris, A physical method for the calibration of the AVHRR/3 thermal IR channels Part II: in orbit comparison of the AVHRR longwave thermal IR channels on board MetOp-A with IASI, J Atmosph Oceanic Technol, 28, 1072, 10.1175/2011JTECHA1517.1
RD.299	Merchant C J, Harris A R, Murray M J and Zavody A M (1999), Toward the elimination of bias in satellite retrievals of skin sea surface temperature 1. Theory, modeling and inter-algorithm comparison, J Geophys Res, 104, C10, 23565-23578.
RD.300	Stamnes, K., SC. Tsay, W. Wiscombe and K. Jayaweera, Numerically stable algorithm for discrete-ordinate-method radiative transfer in multiple scattering and emitting layered media, Appl Opt 27 (1988) (12), pp. 2502–2509.
RD.301	Sea Surface Temperature (SLSTR) Algorithm Theoretical Basis Document, SLSTR-ATBD-L2SST-v2.4, August 2012
RD.302	Chevallier, F., Sampled databases of 60-level atmospheric profiles from the ECMWF

	analyses, SAF Programme: Research Report No. 4, EUMETSAT/ECMWF, 2001.
RD.303	Tobin, D. & L. L. Strow (1994) A Compilation of First-order Line-mixing Coefficients for CO ₂ Q-branches, <i>J. Quant. Spectrosc. Radiat. Transfer</i> , 52, 281.
RD.304	Deshler, T., Hervig, M.E., Hofmann, D.J., Rosen, J.M. and Liley, J.B. (2003). Thirty years of in situ stratospheric aerosol size distribution measurements from Laramie, Wyoming (41N), using balloon-borne instruments. <i>Journal of Geophysical Research</i> 108(D5): doi: 10.1029/2002JD002514. issn: 0148-0227.
RD.305	SST CCI Algorithm Theoretical Basis Document v2.
RD.306	SST CCI Uncertainty Characterisation Report v2, SST_CCI-UCR-UOE-002, 2013. Available from www.esa-sst-cci.org
RD.307	Rodgers C D, Inverse Methods for Atmospheric Sounding, World Scientific, Singapore, ISBN 981-02-2740-X, 2000.
RD.308	Bulgin C E, Eastwood S, Embury O, Merchant C J, Donlon C. The Sea Surface Temperature Climate Change Initiative: Alternative Image Classification Algorithms for Sea-Ice Affected Oceans. <i>Remote Sensing of Environment</i> . Under review. Submitted Jan 2013.
RD.309	Hocking J, Rayer P, Saunders R, Matricardi M, Geer A and Brunel P. RTTOV v10 Users Guide. NWP SAF, The EUMETSAT Network of Satellite Application Facilities. NWPSAF-MO-UD-023. Version 1.5. Date 12/01/2011
RD.310	Thomas S M, Heidinger, A K, Pavolonis M J, Comparison of NOAA's Operational AVHRR-Derived Cloud Amount to Other Satellite-Derived Cloud Climatologies, <i>Journal of Climate</i> , American Meteorological Society, Volume 17, pages 4805-4822, 2004
RD.311	Heidinger A. K., Evan A. T., Foster, M. J. and Walther, A. A Naïve Bayesian Cloud-Detection Scheme Derived from CALIPSO and Applied within PATMOS-x, <i>Journal of Applied Meteorology and Climatology</i> , Volume 51, Pages 1129-1144, 2012.
RD.312	NOAA Satellite and Information Service, National Environmental Satellite, Data and Information Service (NESDIS), US Department of Commerce, Camp Springs, noaasis.noaa.gov/NOAASIS/ml/avhrr.html, last modified 03/07/2013.
RD.313	Morice, C. P., Kennedy, J. J., Rayner, N. A. and Jones, P. D. (2012), Quantifying uncertainties in global and regional temperature change using an ensemble of observational estimates: The HadCRUT4 dataset, <i>J. Geophys. Res.</i> , 117, D08101, doi:10.1029/2011JD017187.
RD.314	Beggs, H. (2007), A high-resolution blended sea surface temperature analysis over the Australian region, BMRC Research Report No. 130, Bureau of Meteorology Research Centre, Australia.
RD.315	Compo, G. P., Whitaker, J. S., Sardeshmukh, P. D., Matsui, N., Allan, R. J., Yin, X., Gleason, B. E., Vose, R. S., Rutledge, G., Bessemoulin, P., Brönnimann, S., Brunet, M., Crouthamel, R. I., Grant, A. N., Groisman, P. Y., Jones, P. D., Kruk, M., Kruger, A. C., Marshall, G. J., Maugeri, M., Mok, H. Y., Nordli, Ø., Ross, T. F., Trigo, R. M., Wang, X. L.,

	Woodruff, S. D., and Worley, S. J. (2011), The Twentieth Century Reanalysis Project. Quarterly J. Roy. Meteorol. Soc., 137, 1-28. DOI: 10.1002/qj.776.
RD.316	Good, S. A., Corlett, G. K., Remedios, J. J., Noyes, E. J. and Llewellyn-Jones, D. T. (2007), The global trend in sea surface temperature from 20 Advanced Very High Resolution Radiometer data, Journal of Climate, 20, 1255-1264, DOI: 10.1175/JCLI4049.1.
RD.317	Merchant, C. J., Mittaz, J. and Corlett, G. K. (2013), Climate data evaluation framework, GRSST document reference CDR-TAG_CDEF/Version 1.0.
RD.318	Hyvärinen, O., Karlsson, K-G. and Dybbroe, A. (1999), Investigations of NOAA AVHRR/3 1.6 imagery for snow, cloud and sunglint discrimination. Nowcasting SAF Visiting scientist report, SMHI, http://www.nwcsaf.org/HD/files/vsadoc/ottohyvarinen_vsa_report_full.pdf
RD.319	Saunders, P. M., (1967), The temperature at the ocean-air interface, Journal of Atmospheric Science, 24, 269-273.
RD.320	Fillipiak, M., (2008) Refractive indices (500-3500 cm ⁻¹) and emissivity (600-3350 cm ⁻¹) of pure water and seawater, Dataset, http://hdl.handle.net/10283717
RD.321	Závody, A. M., Mutlow, C. T., Llewellyn-Jones, D. T., (1995), A radiative transfer model for sea surface temperature retrieval for the along-track scanning radiometer, Journal of Geophysical Research: Oceans, 100, C1, 937-952.
RD.322	Embrey, O; Merchant, C; ARC (AATSR Reprocessing for Climate) data; 2011; NERC Earth Observation Data Centre; available from http://badc.nerc.ac.uk/view/neodc.nerc.ac.uk_ATOM_DE_3abf8c96-a7d6-11e0-9cb8-00e081470265 .
RD.323	Hunter, J. D. (2007), Matplotlib: A 2D graphics environment, Computing In Science & Engineering, 9, 3, 90-95, IEEE COMPUTER SOC
RD.324	Met Office (2010-2013), Iris: A Python library for analysing and visualising meteorological and oceanographic data sets, v1.3, http://scitools.org.uk/
RD.325	ESA SST CCI Product User Guide (2013).
RD.326	Atkinson, C. P., N. A. Rayner, J. Robert-Jones, and R. O. Smith (2013), Assessing the quality of sea surface temperature observations from drifting buoys and ships on a platform-by-platform basis, J. Geophys. Res. Oceans, 118, doi:10.1002/jgrc.20257.
RD.327	ESA SST CCI Climate Research Data Package documentation (2013).
RD.328	Kennedy, J.J. (2013), A review of uncertainty in in situ measurements and data sets of sea-surface temperature, Reviews of Geophysics, accepted.
RD.329	ESA SST_CCI System Verification Report
RD.330	ESA SST_CCI Product Validation and Intercomparison Report
RD.331	ESA SST_CCI Climate Assessment Report
RD.332	Woodruff, S. D., S. J. Worley, S. J. Lubker, Z. Ji, E. Freeman, D. I. Berry, P. Brohan, E. C.

	Kent, R. W. Reynolds, S. R. Smith and C. Wilkinson (2011), ICOADS Release 2.5: extensions and enhancements to the surface marine meteorological archive, Int. J. Climatol. 31: 951-967, DOI:10.1002/joc.2103.
RD.333	Roberts-Jones, J., McLaren, A., and M. Martin, 2013. Estimating and assessing the impact of background error covariance parameters in the OSTIA system. In prep.
RD.334	Rayner, N. A., J. J. Kennedy, R. O. Smith and H. A. Titchner (2013) The Met Office Hadley Centre Sea Ice and Sea Surface Temperature data set, version 2, part 3: the combined analysis. In prep. for JGR Atmospheres
RD.335	Poulter, D. J. S., & Eastwood, S. (2008). Validation of the OSI SAF Metop SST product in polar regions. OSI-SAF report.
RD.336	Martin, M., Dash, P., Ignatov, A. et al., 2012. Group for high resolution sea surface temperature (GHRSST) analysis fields inter-comparisons. Part 1: A GHRSST multi-product ensemble (GMPE). Deep-Sea Research II 77-80, 21-30.
RD.337	Wimmer, W., Robinson, I. S. & Donlon, C. J. (2012). Long-term validation of AATSR SST data products using shipborne radiometry in the Bay of Biscay and English Channel. Remote Sensing of Environment, 116, 17-31.
RD.338	Minnett, P. J. & Corlett, G. K. (2012). A pathway to generating Climate Data Records of sea-surface temperature from satellite measurements. Deep Sea Research Part II: Topical Studies in Oceanography, 77–80, 44-51.
RD.339	Ohring, G., Wielicki, B., Spencer, R., Emery, B. & Datla, R. (2005). Satellite Instrument Calibration for Measuring Global Climate Change: Report of a Workshop. Bulletin of the American Meteorological Society, 86, 1303-1313
RD.340	Høyer, J.L., I. Karagali, G. Dybkjær, and R. Tonboe, 2012. Multi sensor validation and error characteristics of Arctic satellite sea surface temperature observations. Remote Sensing of Environment, 121, pp 335-346, doi:10.1016/j.rse.2012.01.013
RD.341	Good, S.A., M.J. Martin and N.A. Rayner (2013) EN4: Quality controlled ocean temperature and salinity profiles and monthly objective analyses with uncertainty estimates, Journal of Geophysical Research: Oceans, doi: 10.1002/2013JC009067.
RD.342	Kaplan, A., Y. Kushnir, M. Cane, and M. Blumenthal (1997) Reduced space optimal analysis for historical data sets: 136 years of Atlantic sea surface temperatures, J. Geophys. Res., 102, 27,835– 27,860
RD.343	Lanzante, J.R. (1996), Resistant, Robust and Non-Parametric Techniques for the Analysis of Climate Data: Theory and Examples, Including Applications to Historical Radiosonde Station Data. Int. J. Climatol., 16: 1197–1226. doi: 10.1002/(SICI)1097-0088(199611)16:11<1197::AID-JOC89>3.0.CO;2-L
RD.344	Brasnett, B. (2012). A 20-year reanalysis of sea surface temperature. Report, CMC.
RD.345	Kennedy, J. J., Rayner, N. A., Millington, S.C. & Saunby, M. (2013). The Met Office Hadley Centre sea ice and sea surface temperature data set, version 2, part 2: Sea surface temperature analysis. In prep.

RD.346	Cayula, J-F., and Cornillon, P. (1992) Edge detection algorithm for SST Images. <i>Journal of Atmospheric and Oceanic technology</i> , 9, 67-80.
RD.347	Stegmann, P. M., and Ullman, D. S. (2004) Variability in chlorophyll and sea surface temperature fronts in the Long Island Sound outflow region from satellite observations. <i>Journal of Geophysical Research</i> , doi:10.1029/2003JC001984.
RD.348	Castelao, R.M., Mavor, T. P., Barth, J. A., Breaker, L. C. (2006) Sea surface temperature fronts in the California Current System from geostationary satellite observations, <i>Journal of Geophysical Research</i> , doi:10.1029/2006JC003541.
RD.349	Belkin, I.M., Cornillon, P.C. (2005) Bering Sea thermal fronts from Pathfinder data: Seasonal and interannual variability. <i>Pacific Oceanography</i> 2, 6-20.
RD.350	Belkin, I.M., Cornillon, P.C., and Sherman, K. (2009) Fronts in Large Marine Ecosystems. <i>Progress in Oceanography</i> , 81, 223-236.
RD.351	Wall, C. C., Muller-Karger, F. E., Roffer, M. A., Hu, C., Yao, W., and Luther, M. E. (2008) Satellite remote sensing of surface oceanic fronts in coastal waters off west-central Florida. <i>Remote Sensing of Environment</i> , 112, 2963-2976
RD.352	Obenour, K., Cornillon, P., and Buckingham, C. (2010) Detection and Probability of Ocean Fronts in AMSR-E Satellite Data. Poster. <i>Ocean Sciences 2010</i> , Portland, Oregon, USA.
RD.353	Kahru, M., Lorenzo, E. D., Manzano-Sarabia, M., and Mitchell, B. G. (2012) Spatial and temporal statistics of sea surface temperature and chlorophyll fronts in the California Current. <i>Journal of Plankton Research</i> , doi:10.1093/plankt/fbs010.
RD.354	Storm, T. and M. Boettcher (2012) OC CCI Product User Guide Issue 1.0. http://www.esa-oceancolour-cci.org/?q=webfm_send/231
RD.355	Oka, E. and Ando, K. (20004). Stability of Temperature and Conductivity Sensors of Argo Profiling Floats. <i>Journal of Oceanography</i> , 60, 2, 253-258.
RD.356	Knight, J.R., R.J. Allan, C.K. Folland, M. Vellinga and M.E. Mann (2005), A signature of persistent natural thermohaline circulation cycles in observed climate, <i>Geophys. Res. Lett.</i> , 32, L20708, doi: 10.1029/2005GL024233.
RD.357	Merchant C J, Embury O, Le Borgne P and Bellec B (2006), Saharan dust in night-time thermal imagery: detection and reduction of related biases in retrieved sea surface temperature, <i>Rem. Sens. Env.</i> , 104, 15-30.
RD.358	Legeckis, R., 1977. Long waves in the eastern equatorial pacific ocean: A view from a geostationary satellite. <i>Science</i> 197, 1179–1181.
RD.359	Menkes, C.E.R., Vialard, J.G., Kennan, S.C., Boulanger, J.P., Madec, G.V., 2006. A modelling study of the impact of tropical instability waves on the heat budget of the eastern equatorial pacific. <i>J. Phys. Oceanogr.</i> 36, 847–865.
RD.360	Jochum, M., Cronin, M.F., Kessler, W.S., Shea, D., 2007. Observed horizontal temperature advection by tropical instability waves. <i>Geophysical Research Letters</i> 34.
RD.361	Brodeau, L., Barnier, B., Treguier, A., Penduff, T., Gulev, S., 2010. An ERA40-based

	atmospheric forcing for global ocean circulation models. Ocean Modelling 31, 88–104.
RD.362	O'Dea, E. J., A. K. Arnold, K. P. Edwards, R. Furner, P. Hyder, M. J. Martin, J. R. Siddorn et al. "An operational ocean forecast system incorporating NEMO and SST data assimilation for the tidally driven European North-West shelf." Journal of Operational Oceanography 5, no. 1 (2012): 3-17.
RD.363	Blockley, E. W., Martin, M. J., McLaren, A. J., Ryan, A. G., Waters, J., Lea, D. J., Mirouze, I., Peterson, K. A., Sellar, A., and Storkey, D.: Recent development of the Met Office operational ocean forecasting system: an overview and assessment of the new Global FOAM forecasts, Geosci. Model Dev. Discuss., 6, 6219-6278, doi:10.5194/gmdd-6-6219-2013, 2013.
RD.364	Dee, D. P., S. M. Uppala, A. J. Simmons, P. Berrisford, P. Poli, S. Kobayashi, U. Andrae et al. "The ERA-Interim reanalysis: Configuration and performance of the data assimilation system." Quarterly Journal of the Royal Meteorological Society 137, no. 656 (2011): 553-597.
RD.365	Waters, J., M. Martin, J. While, D. Lea, A. Weaver, I. Mirouze. Implementing a variational data assimilation system in an operational 1/4 degree global ocean model. Submitted to Q. J. R. Meteorol. Soc
RD.366	Taylor, K.E., D. Williamson, and F. Zwiers: 2000. The Sea Surface Temperature and Sea-Ice Concentration Boundary Conditions for AMIP II Simulations. PCMDI Report No. 60, 28 pp.
RD.367	Kosaka and Xie, 2013, Nature Research Letters, doi:10.1038/nature12534
RD.368	Rossow, WB and RA Schiffer, 1999: Advances in understanding clouds from ISCCP. Bull. Amer. Met. Soc., 80, 2261-2287. doi: 10.1175/1520-0477(1999)080<2261:AIUCFI>2.0.CO;2
RD.369	ESA Climate Change Initiative Phase 2 Statement of Work, prepared by ESA Climate Office, Ref. CCI-PRGM-EOPS-SW-12-0012, Issue 1, Revision 2, June 7th, 2013
RD.370	SST CCI Product Validation and Intercomparison Report (PVIR) -SST_CCI-PVIR-UoL-001, Issue 1, 22 January 2014. http://www.esa-sst-cci.org/sites/default/files/Documents/public/SST_CCI-PVIR-UoL-001-Issue_1-signed-accepted.pdf
RD.371	SST CCI Climate Assessment Report (CAR), SST_CCI-CAR-UKMO-001, Issue 1, 24 January 2014 http://www.esa-sst-cci.org/sites/default/files/Documents/public/SST_CCI-CAR-UKMO-001-Issue_1-signed-accepted.pdf
RD.372	Bulgin, C. E., Merchant, C. J., and Donlon, C. (2-15). Sampling Uncertainty in Global Area Coverage (GAC) and Gridded Sea Surface Temperature Retrievals. Remote Sensing of Environment (under review).